

HENNING MAST, MD
Professor in Neurology

Seestrasse 323a/325, CH-8038 Zurich

Original Articles (Senior Author)

Hornig CR, Brainin M, **Mast H**. Cardioembolic stroke: results from three current stroke data banks. *Neuroepidemiology*. 1994;13:318-323.

Marx P, Schumacher HC, Hartmann A, Blum S, Dissmann R, Völler H, **Mast H**. Effect of cardiac sources of embolism on stroke pattern, death, and stroke recurrence. *Journal of Stroke and Cerebrovascular Diseases*. 1996;6(suppl 1):129-133.

Marx P, Schumacher HC, Hartmann A, Blum S, Schultheiß HP, Völler H, Dissmann R, **Mast H**. Diagnostischer Gewinn durch transthorakale und transösophageale Echokardiographie bei akutem ischämischen Insult. *Fortschr Neurol Psychiatr*. 1996;64:307-311.

Osipov A, Koennecke HC, Hartmann A, Young WL, Pile-Spellman J, Haccin-Bey L, Mohr JP, **Mast H**. Seizures in cerebral arteriovenous malformations: type, clinical course and medical management. *Interventional Neuroradiology*. 1997;3:37-41.

Hartmann A, Mohr JP, Thompson JLP, Ramos O, **Mast H**. Interrater reliability of plaque morphology classification in patients with severe carotid artery stenosis. *Acta Neurol Scand*. 1998;98:1-4.

Hartmann A, Hupp T, Koch HC, Dollinger P, Stapf C, Schmidt R, Hofmeister C, Thompson JLP, Marx P, **Mast H**. Prospective study on the complication rate of carotid surgery. *Cerebrovasc Dis*. 1999;9:152-156.

Stapf C, Hartmann A, Hofmeister C, Schumacher HC, Marx P, **Mast H**. Zigarettenrauchen als Risikofaktor hochgradiger Stenosen der Arteria carotis. *Fortschr Neurol Psychiatr*. 1999;67:483-486.

Stapf C, Hartmann A, Marx P, **Mast H**. Predictive value of clinical lacunar syndromes for lacunar infarcts on magnetic resonance brain imaging. *Acta Neurol Scand*. 2000;101:13-18.

Stapf C, Hofmeister C, Hartmann A, Seyfert S, Koch HC, Mohr JP, Marx P, **Mast H**. Interrater agreement for high grade carotid artery stenosis measurement. *Eur J Med Res*. 2000;5:26-31.

Hofmeister C, Stapf C, Hartmann A, Sciacca RR, Mansmann U, terBrugge K, Lasjaunias P, Mohr JP, **Mast H**, Meisel J. Demographic, morphological, and clinical characteristics of 1289 patients with brain arteriovenous malformation. *Stroke*. 2000;31:1307-1310.

Hartmann A, Stapf C, Hofmeister C, Mohr JP, Sciacca RR, Stein BM, Faulstich A, **Mast H**. Determinants of outcome after surgery for brain arteriovenous malformation. *Stroke*. 2000;31:2361-2364.

Stapf C, Mohr JP, Sciacca RR, Hartmann A, Aagaard BD, Pile-Spellman J, **Mast H**. Incident hemorrhage risk of brain arteriovenous malformations located in the arterial borderzones. *Stroke*. 2000;31:2365-2368.

Stapf C, Mohr JP, Pile-Spellman J, Sciacca RR, Hartmann A, Schumacher HC, **Mast H**. Concurrent arterial aneurysms in brain arteriovenous malformations with hemorrhagic presentation. *JNNP*. 2002;73:294-298.

Hartmann A, Pile-Spellman J, Stapf C, Sciacca RR, Faulstich A, Mohr JP, Schumacher HC, **Mast H**. Risk of endovascular treatment of brain arteriovenous malformations. *Stroke*. 2002;33:1816-1820.

Stapf C, **Mast H**, Sciacca RR, Berenstein A, Nelson PK, Gobin YP, Pile-Spellman J, Mohr JP. The New York Islands AVM Study: Design, study progress, and initial results. *Stroke*. 2003;34:e29-e33.

Hartmann A, **Mast H**, Mohr JP, Pile-Spellman J, ES Conolly, A Khaw, Stapf C. Determinants of staged endovascular and surgical treatment outcome of brain arteriovenous malformations. *Stroke*. 2005;36:2431-2435.

Stapf C, **Mast H**, Sciacca RR, Choi JH, Khaw AV, Conolly ES, Pile-Spellman J, Mohr JP. Predictors of hemorrhage in patients with untreated brain arteriovenous malformation. *Neurology* 2006;66:1350-1355.

Choi JH, **Mast H**, Sciacca RR, Hartmann A, Khaw AV, Mohr JP, Sacco RL, Stapf C. Clinical outcome after first and recurrent hemorrhage in patients with untreated brain arteriovenous malformation. *Stroke*. 2006;37:1243-1247.

Choi JH, Jakob M, Stapf C, Marshall RS, Hartmann A, **Mast H**. Multimodal early rehabilitation and predictors of outcome in survivors of severe traumatic brain injury. *Journal of Trauma, Injury, Infection, and Critical Care*. 2008;65:1028-1035.

Huschak G, Hoell T, Wiegel M, Hohaus C, Stuttmann R, Meisel H-J, **Mast H**. Does brain temperature correlate with intracranial pressure? *Journal of Neurosurgical Anesthesiology*. 2008;20:105-109.

Maurer P, Hoffmann E, **Mast H**. Bacterial meningitis after tooth extraction. *Brit Dental J*. 2009;206:69-71.

Choi JH, **Mast H**, Hartmann A, Marshall RS, Pile-Spellman J, Mohr JP, Stapf C. Focal Neurological Deficits in Patients with Unruptured Brain Arteriovenous Malformation. *J Neurol Sciences*. 2009; 287(1-2): 126-130.

Original Articles (Co-Author)

Hornig CR, **Mast H**, Brainin M, Dorndorf W, Marx P, Tillmanns H, Stöllberger C. Kardioembolischer Schlaganfall. *DMW*. 1993;118:1248-1253.

Kader A, Young WL, Pile-Spellman J, **Mast H**, Sciacca RR, Mohr JP, Stein BM. The influence of hemodynamic and anatomic factors on hemorrhage from cerebral arteriovenous malformations. *Neurosurgery*. 1994;34:801-808.

DeMeritt JS, Pile-Spellman J, **Mast H**, Moohan N, Young WL, Hacin-Bey L, Mohr JP, Stein BM. Outcome analysis of preoperative embolization with n-butyl cyanoacrylate in the treatment of cerebral arteriovenous malformations. *Am J Neuroradiology*. 1995;16:1801-1807.

Völler H, Dissmann R, Schröder K, Eule A, Wegscheider K, **Mast H**, Marx P, Schultheiß HP. Potentielle Emboliequellen im transösophagealen Echokardiogramm - Prognostische Bedeutung bei Patienten mit zerebralen Ischämien. *Z Kardiol*. 1996;85:204-213.

The WARSS, APASS, PICSS, HAS, and Genesis Study Groups. The feasibility of a collaborative double-blind study using an anticoagulant: the Warfarin-Aspirin Recurrent Stroke Study (WARRS), the Antiphospholipid Antibodies and Stroke Study (APASS), the Patent Foramen Ovale in Cryptogenic Stroke Study (PICSS), the Hemostatic System Activation Study (HAS), the Genes in Stroke Study (GENESIS).

Cerebrovasc Dis. 1997;7:100-112.

Koennecke HC, **Mast H**, Trocio SH, Sacco RL, Thompson JLP, Mohr JP. Microemboli in patients with vertebrobasilar ischemia: association with vertebrobasilar and cardiac lesions.

Stroke. 1997;28:593-596.

Koennecke HC, Trocio SH, **Mast H**, Mohr JP. Microemboli on transcranial Doppler in patients with spontaneous carotid artery dissection.

J Neuroimaging. 1997;7(4):217-212.

Mohr JP, **Mast H**, Thompson JLP, Sacco RL. Are more complex study designs needed for future acute stroke trials?

Cerebrovasc Dis. 1998;8(suppl 1):17-22.

Koennecke HC, **Mast H**, Trocio SH, Sacco RL, Ma W, Mohr JP, Thompson JLP. Frequency and determinants of microembolic signals on transcranial Doppler in unselected patients with acute carotid territory ischemia. A prospective study.

Cerebrovasc Dis. 1998;8:107-112.

Hartmann A, **Mast H**, Mohr JP, Koennecke HC, Osipov A, Pile-Spellman J, Duong DH, Young WL. Morbidity of intracranial hemorrhage in patients with cerebral arteriovenous malformation.

Stroke. 1998;29:931-934.

Hoang Duong D, Young WL, Vang MC, Sciacca RR, **Mast H**, Koennecke HC, Hartmann A, Joshi S, Mohr JP, Pile-Spellman J. Feeding artery pressure and venous drainage pattern are primary determinants of hemorrhage from cerebral arteriovenous malformations.

Stroke. 1998;29:1167-1176.

Gao E, Young WL, Hademenos GJ, Massoud TF, Sciacca RR, Ma Q, Joshi S, **Mast H**, Mohr JP, Vulliemoz S, Pile-Spellman J. Theoretical modeling of arteriovenous malformation rupture risk: a feasibility and validation study.

Medical Engineering & Physics. 1998;20:489-501.

Berman MF, Hartmann A, **Mast H**, Sciacca RR, Mohr JP, Pile-Spellman J, Young WL. Determinants of resource utilisation in the treatment of brain arteriovenous malformations.

Am J Neuroradiol. 1999;20:2004-2008.

Hartmann A, **Mast H**, Thompson JLP, Sia RM, Mohr JP. Transcranial Doppler waveform blunting in severe extracranial carotid artery stenosis.

Cerebrovasc Dis. 2000;10:33-38.

Rundek T, **Mast H**, Hartmann A, Boden-Albala B, Lennihan L, Lin I-F, Paik MC, Sacco RL. Predictors of resource use after acute hospitalization. The Northern Manhattan Stroke Study.

Neurology. 2000;55:1180-1187.

Hartmann A, Rundek T, **Mast H**, Paik MC, Boden-Albala B, Mohr JP, Sacco RL. Mortality and causes of death after first ischemic stroke. The Northern Manhattan Stroke Study.

Neurology. 2001;57:2000-2005.

Stapf C, Labovitz D, Sciacca RR, **Mast H**, Mohr JP, Sacco RL. Incidence of adult brain arteriovenous malformation hemorrhage in a prospective population-based stroke survey.

Cerebrovasc Dis. 2002;13:43-46.

Stapf C, Conolly ES, Schumacher HC, Sciacca RR, **Mast H**, Pile-Spellman J, Mohr JP. Dysplastic vessels after surgery for brain arteriovenous malformations.

Stroke. 2002;33:1053-1056.

- Hoell T, Nagel M, Beier A, Oltmanns F, Kern BC, **Mast H**, Meisel HJ. Management schwerer Schädel-Hirn-Traumen mit Hilfe der dekompressiven Kraniektomie. *Trauma Berufskrankh.* 2002;4(Suppl. 1):14-18.
- Stapf C, Khaw AV, Sciacca RR, Hofmeister C, Schumacher HC, Pile-Spellman J, **Mast H**, Mohr JP, Hartmann A. Effect of age on clinical and morphological characteristics in patients with brain arteriovenous malformation. *Stroke.* 2003;34:2664-2670.
- Khaw AV, Mohr JP, Sciacca RR, Schumacher HC, Hartmann A, Pile-Spellman J, **Mast H**, Stapf C. Association of infratentorial brain arteriovenous malformation with hemorrhage at initial presentation. *Stroke.* 2004;35:660-663.
- Huschak G, zur Nieden K, Hoell T, Riemann D, **Mast H**, Stüttmann R. Olive oil based nutrition in multiple trauma patients: a pilot study. *Intensive Care Med.* 2005;31:1202-1208.
- Choi JH, Bateman BT, Mangla S, Marshall RS, Prabhakaran S, Chong J, Mohr JP, **Mast H**, Pile-Spellman J. Endovascular recanalization therapy in acute ischemic stroke. *Stroke.* 2006;37:419-424.
- Mueller I, **Mast H**, Sabel BA. Recovery of visual field defects: a large clinical observation study using vision restoration therapy. *Restorative Neurology and Neuroscience.* 2007;25:563-572.
- Choi JH, Marshall RS, Neimark MA, Konstas AA, Lin E, Rundek T, Mohr JP, **Mast H**, Pile-Spellman J. Selective Brain Cooling with Endovascular Intra-Carotid Infusion of Cold Saline: A pilot study. Published online before print January 6, 2010, doi: 10.3174/ajnr.A1961. *AJNR* 2010 31: 928-934 2009
- JP Mohr, A Moskowitz, C Stapf, A Hartmann, K Lord, SM Marshall, **H Mast** et al. The ARUBA trial, current status, future hopes. *Stroke.* 2010 Aug; 41(8): e537–e540.

Original Articles (First Author)

- Mast H**, Pöche H, Marx P. Hemoglobin quantitation in subarachnoid hemorrhage. *Klinische Wochenschrift.* 1987;65:513-515.
- Mast H**, Seyfert S, Marx P. Der Einfluß des Blutzuckers auf den Verlauf zerebraler Ischämien. *Nervenarzt.* 1989;60:276-279.
- Mast H**, Marx P. Neurological deterioration under isovolemic hemodilution with hydroxyethyl starch in acute cerebral ischemia. *Stroke.* 1991;22:680-683.
- Mast H**, Nüssel F, Vogel HP, Heinsius T, Dissmann R, Völler H, Marx P. Cranial computerized tomography stroke patterns in patients with cardiac sources of embolism, extracranial large-artery disease or no extracranial source. *Cerebrovasc Dis.* 1994;4:20-25.
- Mast H**, Thompson JLP, Völler H, Mohr JP, Marx P. Cardiac sources of embolism in patients with pial artery infarcts and lacunar lesions. *Stroke.* 1994;25:776-781.
- Mast H**, Thompson JLP, Sze-Haur Lee, Mohr JP, Sacco RL. Hypertension and diabetes mellitus as determinants of multiple lacunar infarcts. *Stroke.* 1995;26:30-33.

Mast H, Mohr JP, Thompson JLP, Osipov A, Trocio SH, Mayer S, Young WL. Transcranial Dopplersonography in cerebral arteriovenous malformations: sensitivity and predictive value for spontaneous hemorrhage and focal neurological deficits.
Stroke. 1995;26:1024-1027.

Mast H, Mohr JP, Osipov A, Pile-Spellman J, Marshall RS, Lazar RM, Stein BM, Young WL. "Steal" is an unestablished mechanism for the clinical presentation of cerebral arteriovenous malformations.
Stroke. 1995;26:1215-1220.

Mast H, Mohr JP, Toole JF. Zur Indikation der Endarterektomie bei asymptomatischer Stenose der Arteria carotis interna oder communis - Die Ergebnisse der nordamerikanischen ACAS Studie.
Zentralblatt für Chirurgie. 1996;121:1033-1035.

Mast H, Koennecke HC, Hartmann A, Stapf C, Marx P. Assoziation von Hypertonie und Diabetes mellitus mit mikroangiopathischen Hirninfarktmustern.
Nervenarzt. 1997;68:129-134.

Mast H, Young WL, Koennecke HC, Sciacca RR, Osipov A, Pile-Spellman J, Haccin-Bey L, Hoang Duong, Stein BM, Mohr JP. Risk of spontaneous hemorrhage after diagnosis of cerebral arteriovenous malformation.
Lancet. 1997;350:1065-1068.

Mast H, Schumacher HC, Koennecke HC, Hartmann A, Stapf C, Enchtuja S, Dissmann R, Schröder K, Völler H, Thompson JLP, Marx P. Der Einfluß kardialer Emboliequellen auf die Genese territorialer Hirninfarkte.
Nervenarzt. 1998;69:145-150.

Mast H, Thompson JLP, Hofmeister C, Hartmann A, Marx P, Mohr JP, Sacco RL. Cigarette smoking as a determinant of high-grade carotid artery stenosis in Hispanic, black, and white patients with stroke or transient ischemic attack.
Stroke. 1998;29:908-912.

Mast H, Mendelson A, Moeddel M, Kejda-Scharler J. Association traumatismes craniocerebraux legers avec troubles cognitifs chroniques et lesions encephaliques axonales diffuses.
Douleur Analg. 2013;26:S28-S31.

Case-Reports

Mast H, Ecker S, Marx P. Cerebral ischemia induced by compression tests during transcranial Dopplersonography.
The Clinical Investigator. 1993;71:46-48.

Mast H, Vogel HP, Blum S, Pilz A, Hartmann A, Koennecke HC, Marx P. Lakunärer Hirninfarkt bei Karotisverschluß.
Nervenarzt. 1994;65:118-121.

Blum S, **Mast H**, Mohr JP, Pilz A, Marx P. Visusstörung durch Photostress - ein seltenes Symptom der Karotisstenose.
Aktuelle Neurologie. 1994;21:17-19.

Mast H, Gordon PH, Mohr JP, Tatemichi TK. Central pontine myelinolysis: clinical syndrome with normal serum sodium.
Eur J Med Res. 1995;1:168-170.

Marshall RS, Lazar RM, Mohr JP, van Heertum RL, **Mast H**. "Semantic" conduction aphasia from a posterior insular cortex infarct.
J Neuroimaging. 1996;6:189-190.

Stangel M, Lüschor A, C. Stapf, Marx P, Mohr JP, **Mast H**. Cerebellar atrophy with basilar artery occlusion.
Eur J Med Res. 1997;2:428-430.

Hartmann A, Conolly ES, Duong DH, Prestigiacomo CJ, Joshi S, Mohr JP, **Mast H**. Dysarthria during basilar artery balloon occlusion.
Neurology. 1999;53:421-423.

Stapf C, Mohr JP, Theallier-Janko, **Mast H**. Cerebral hemorrhage after systemic fibrinolysis in a patient with severe carotid artery stenosis.
Acta Neurol Scand 1999;100:1-5.

Stapf C, Mohr JP, Straschill M, **Mast H**, Marx P. Acute bilateral arm paresis.
Cerebrovasc Dis 2000;10:239-243.

Stapf C, Marshall RS, Mohr JP, Duong HD, Brunson JC, Benson RT, **Mast H**. Late intraarterial thrombolysis.
Eur J Med Res. 2000;5:303-306.

Hartmann A, **Mast H**, Stapf C, Koch HC, Marx P. Peripheral hemodialysis shunt causing intracranial venous congestion.
Stroke. 2001;32:2945-2946.

Hoell T, Nagel M, Beier A, Kern BC, Meisel J, **Mast H**. Temporary cardiac asystolia induced by intraoperative irritation of the eighth right sided anterior cervical nerve root.
Acta Neurochir. 2002;144:1311-1313.

Review-Articles

Marx P, **Mast H**. Die Therapie des ischämischen Insultes.
Nervenheilkunde. 1991;10:168-171.

Mast H. Neurologische Symptomatik, Diagnostik und Therapie des sogenannten "thoracic-outlet-syndrome".
DMW. 1994;119:1087-1092.

Mast H, Tatemichi TK, Mohr JP. Chronic brain ischemia: the contributions of Otto Binswanger and Alois Alzheimer to the mechanisms of vascular dementia.
Journal of the Neurological Sciences. 1995;132:4-10.

Mast H, Mohr JP. Otto Binswanger and the role of chronic ischemia in vascular dementia.
Cerebrovasc Dis. 1996;6:255-257.

Mast H, Koennecke HC, Meisel J, Osipov A, Hartmann A, Lasjaunias P, Pile-Spellman J, Haccin-Bey L, Young WL, Mohr JP. Zur Therapie zerebraler arteriovenöser Malformationen.
Nervenarzt. 1998;69:287-295.

The AVM Study Group. Arteriovenous malformations of the brain in adults.
New Engl J Med. 1999;340:1812-1818.

Stapf C, Mohr JP, Choi JH, Hartmann A, **Mast H**. Invasive treatment of unruptured brain arteriovenous malformations is experimental therapy.
Curr Opin Neurol. 2006;19:63-68.

Al Shahi Saman R, **Mast H**, Stapf C. Unruptured arteriovenous malformations of the brain.
ACNR 2007;6:6-7.

Hartmann A, **Mast H**, Choi J, Stapf C, Mohr JP. Treatment of brain arteriovenous malformations.
Current Neurology and Neuroscience Reports. 2007;7:28-34.

Book-Chapters

Mast H, Nüssel F, Vogel HP, Heinsius T, Dissmann R, Völler H, Marx P. Cranial computerized tomography stroke patterns in patients with cardiac sources of embolism, extracranial

macroangiopathy, or no extracranial source. In: W Dorndorf, P Marx (eds) *Stroke Prevention*. Karger, Basel 1994; pp. 28-36

Marx P, **Mast H**, Schumacher HC, Dissmann R, Völler H. Do risk factors relate to stroke patterns? Evidence from the Berlin stroke data bank. In: W Dorndorf, P Marx (eds) *Stroke Prevention*. Karger, Basel 1994; pp. 67-75

Mast H. Thoracic-outlet-Syndrom - Neurologische Symptomatik, Diagnostik und Therapie. In: W Hepp (ed) *Neurovaskuläre Kompressionssyndrome*. Blackwell, Berlin Wien 1995; pp. 12-20

Mohr JP, **Mast H**. Binswanger's Disease. In: *Stroke: Pathophysiology, Diagnosis, and Management*, 3rd edition, Barnett HJM, Mohr JP, Stein BM, Yatsu FM (eds), Churchill Livingstone, New York, 1998; pp. 921-931.

Letters to the Editor

Mast H, Vogel HP, Marx P. Hemodilution in ischemic stroke. *Stroke*. 1991;22:955.

Mast H, Marx P. Hemodilution in ischemic stroke. *Stroke*. 1992;23:439.

Young WL, **Mast H**, Mohr JP, Osipov A, Pile-Spellman J, Marshall RS, Lazar RM, Stein BM. Steal and cerebral arteriovenous malformations. *Stroke*. 1995;26:2371.

Hartmann A, **Mast H**, Young WL, Mohr JP. Morbidity of intracranial hemorrhage in patients with cerebral arteriovenous malformation. *Stroke*. 1998;29:2001.

Mast H, Kejda J, Mohr JP. A man with a gait disorder. *New Engl J Med*. 2006;355:1740.

Stapf C, Van der Worp HB, Steiner T, Rinkel GJE, Nedeltchev K, **Mast H**, Dichgans M, Cordonnier C, Arnold M, Al-Shahi R. Stroke research priorities for the next decade – a supplemental statement on intracranial hemorrhage. *Cerebrovasc Dis*. 2007;23:318-319.